

KERAJOLLY KJ


PRODUCT DESCRIPTION




KERAJOLLY profiles are designed to define sharp external wall corners and prevent chipping and cracking of fragile single-fired ceramic tiles. Easy to install, simply choose the size based on the thickness of the selected tile. KERAJOLLY trim profiles protect ceramic tiled wall corners against impact while guaranteeing safety standards and durability. The KERAJOLLY color range can also be matched with LISTEC decorative strips, proposing endless design possibilities.

TECHNICAL FEATURES


Length: 2.70 meters - 8'10"



Aluminum
B = 1/8" - 3 mm



Brass
B = 1/8" - 3 mm



Synthetic Resin
B = 1/8" - 3 mm

MATERIAL DESCRIPTION

Aluminum

The primary aluminum alloy EN AW-6060 in T6 temper is suitable for complex extrusions, offering high strength and an excellent natural surface finish that lends itself well to subsequent finishing processes.

ANODIZED ALUMINUM:

The anodic oxidation process provides protection against corrosion caused by atmospheric agents, without involving galvanic treatments.


In accordance with the EN 12373 standard, profiles undergo preliminary treatments that create a uniformly matte surface. They are then colored through an electrochemical oxidation process in standard finishes: Silver, Gold, Bronze, Copper, and Titanium, with a coating thickness of up to 20 microns.

BRIGHT POLISHED ALUMINUM:

The brightening process consists of a mechanical-chemical polishing treatment and the subsequent anodic bath in Gold, Chrome, Copper and Titanium colors. The resulting profiles retain the same corrosion resistance as standard anodized profiles.

POWDER COATED ALUMINUM:

Powder coating begins with a chromium phosphate pre-treatment, followed by electrostatic application of polyester powders that offer high resistance to U.V. rays and atmospheric agents. The entire surface of the profile is coated with an average thickness of approximately 60 microns. A hot cross-linking polymerization process is then carried out to ensure maximum chemical and mechanical resistance.



ACCESSORIES



KJC100AT

kerajolly >> KJ in Anodized Aluminum		
Item	H inch	Finish
KJ60AT270	1/4	AT - Titanium
KJ80AT270	5/16	AT - Titanium
KJ100AT270	3/8	AT - Titanium
KJ125AT270	1/2	AT - Titanium
KJ60AR270	1/4	AR - Copper
KJ80AR270	5/16	AR - Copper
KJ100AR270	3/8	AR - Copper
KJ125AR270	1/2	AR - Copper
KJ100AB270	3/8	AB - Bronze
KJ100AGR270	3/8	AGR - Graphite
KJ100AO270	3/8	AO - Gold

kerajolly >> KJ in Brushed Anodized Aluminum		
Item	H inch	Finish
KJ100ASS270	3/8	ASS - Brushed Silver
KJ60AMSB270	1/4	AMSB - Brus. an. ant. bronze
KJ80AMSB270	5/16	AMSB - Brus. an. ant. bronze
KJ100AMSB270	3/8	AMSB - Brus. an. ant. bronze
KJ125AMSB270	1/2	AMSB - Brus. an. ant. bronze
KJ80AGRS270	5/16	AGRS - Brushed graphite
KJ100AGRS270	3/8	AGRS - Brushed graphite
KJ125AGRS270	1/2	AGRS - Brushed graphite

keracapsule >> KJC in Anodized Aluminum		
Item	H inch	Finish
KJC80ATSET2	5/16	AT - Titanium
KJC100ATSET2	3/8	AT - Titanium
KJC125ATSET2	1/2	AT - Titanium
KJC80ARSET2	5/16	AR - Copper
KJC100ARSET2	3/8	AR - Copper
KJC125ARSET2	1/2	AR - Copper
KJC100ABSET2	3/8	AB - Bronze
KJC100AGRSET2	3/8	AGR - Graphite
KJC100AOSET2	3/8	AO - Gold

keracapsule >> KJC in Brushed Anodized Aluminum		
Item	H inch	Finish
KJC100ASSSET2	3/8	ASS - Brushed Silver
KJC80AMSBSET2	5/16	AMSB - Brus. an. ant. bronze
KJC100AMSBSET2	3/8	AMSB - Brus. an. ant. bronze
KJC125AMSBSET2	1/2	AMSB - Brus. an. ant. bronze
KJC80AGRSSET2	5/16	AGRS - Brushed graphite
KJC100AGRSSET2	3/8	AGRS - Brushed graphite
KJC125AGRSSET2	1/2	AGRS - Brushed graphite

Profiltec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profiltec@profiltec.com

Profiltec Corp.
e-mail: customerservice@profiltec.com

Profiltec Ibérica, S.L.U.
e-mail: iberica@profiltec.com

Profiltec France
e-mail: france@profiltec.com

kerajolly >> KJ in Bright Polished Anodized Aluminum		
Item	H inch	Finish
KJ60ASB270	1/4	ASB - Chrome
KJ80ASB270	5/16	ASB - Chrome
KJ100ASB270	3/8	ASB - Chrome
KJ110ASB270	7/16	ASB - Chrome
KJ125ASB270	1/2	ASB - Chrome
KJ80ATB270	5/16	ATB - Polished titanium
KJ100ATB270	3/8	ATB - Polished titanium
KJ125ATB270	1/2	ATB - Polished titanium
KJ100ARB270	3/8	ARB - Polished copper
KJ60AOB270	1/4	AOB - Polished gold
KJ80AOB270	5/16	AOB - Polished gold
KJ100AOB270	3/8	AOB - Polished gold
KJ125AOB270	1/2	AOB - Polished gold

keracapsule >> KJC in Bright Polished Anodized Aluminum		
Item	H inch	Finish
KJC80ASBSET2	5/16	ASB - Chrome
KJC100ASBSET2	3/8	ASB - Chrome
KJC110ASBSET2	7/16	ASB - Chrome
KJC125ASBSET2	1/2	ASB - Chrome
KJC80ATBSET2	5/16	ATB - Polished titanium
KJC100ATBSET2	3/8	ATB - Polished titanium
KJC125ATBSET2	1/2	ATB - Polished titanium
KJC100ARBSET2	3/8	ARB - Bright polished copper
KJC80AOBSET2	5/16	AOB - Polished gold
KJC100AOBSET2	3/8	AOB - Polished gold
KJC125AOBSET2	1/2	AOB - Polished gold

kerajolly >> KJ in Brushed Polished Anodized Aluminum		
Item	H inch	Finish
KJ60ASSB270	1/4	ASSB - Brus. brig. pol. silver
KJ80ASSB270	5/16	ASSB - Brus. brig. pol. silver
KJ100ASSB270	3/8	ASSB - Brus. brig. pol. silver
KJ125ASSB270	1/2	ASSB - Brus. brig. pol. silver
KJ100ADSB270	3/8	ADSB - Bright brus. black
KJ60ATSB270	1/4	ATSB - Brig. pol. brus. titanium
KJ80ATSB270	5/16	ATSB - Brig. pol. brus. titanium
KJ100ATSB270	3/8	ATSB - Brig. pol. brus. titanium
KJ125ATSB270	1/2	ATSB - Brig. pol. brus. titanium
KJ100ARSB270	3/8	ARSB - Bright brus. copper
KJ125ARSB270	1/2	ARSB - Bright brus. copper
KJ80ABSB270	5/16	ABSB - Champagne
KJ100ABSB270	3/8	ABSB - Champagne
KJ110ABSB270	7/16	ABSB - Champagne
KJ125ABSB270	1/2	ABSB - Champagne
KJ100AOSB270	3/8	AOSB - Bright brushed gold
KJ125AOSB270	1/2	AOSB - Bright brushed gold

keracapsule >> KJC in Brushed Polished Anodized Aluminum		
Item	H inch	Finish
KJC80ASSBSET2	5/16	ASSB - Brus. brig. pol. silver
KJC100ASSBSET2	3/8	ASSB - Brus. brig. pol. silver
KJC125ASSBSET2	1/2	ASSB - Brus. brig. pol. silver
KJC100ADSBSET2	3/8	ADSB - Bright brus. black
KJC80ATSBSET2	5/16	ATSB - Brig. pol. brus. titanium
KJC100ATSBSET2	3/8	ATSB - Brig. pol. brus. titanium
KJC125ATSBSET2	1/2	ATSB - Brig. pol. brus. titanium
KJC100ARSBSET2	3/8	ARSB - Bright brus. copper
KJC125ARSBSET2	1/2	ARSB - Bright brus. copper
KJC80ABSBSET2	5/16	ABSB - Champagne
KJC100ABSBSET2	3/8	ABSB - Champagne
KJC110ABSBSET2	7/16	ABSB - Champagne
KJC125ABSBSET2	1/2	ABSB - Champagne
KJC100AOSBSET2	3/8	AOSB - Bright brushed gold
KJC125AOSBSET2	1/2	AOSB - Bright brushed gold



Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

Profilitec France
e-mail: france@profilitec.com

kerajolly >> KJ in Powder Coated Aluminum		
Item	H inch	Finish
KJ60A11270	1/4	A11 - Pure White
KJ80A11270	5/16	A11 - Pure White
KJ100A11270	3/8	A11 - Pure White
KJ125A11270	1/2	A11 - Pure White
KJ60A12270	1/4	A12 - Ivory White
KJ80A12270	5/16	A12 - Ivory White
KJ100A12270	3/8	A12 - Ivory White
KJ125A12270	1/2	A12 - Ivory White
KJ60A21270	1/4	A21 - Light Grey
KJ80A21270	5/16	A21 - Light Grey
KJ100A21270	3/8	A21 - Light Grey
KJ125A21270	1/2	A21 - Light Grey
KJ60A22270	1/4	A22 - Pastel Grey
KJ80A22270	5/16	A22 - Pastel Grey
KJ100A22270	3/8	A22 - Pastel Grey
KJ125A22270	1/2	A22 - Pastel Grey
KJ60A23270	1/4	A23 - Cement Grey
KJ80A23270	5/16	A23 - Cement Grey
KJ100A23270	3/8	A23 - Cement Grey
KJ125A23270	1/2	A23 - Cement Grey
KJ60A31270	1/4	A31 - Beige Bahama
KJ80A31270	5/16	A31 - Beige Bahama
KJ100A31270	3/8	A31 - Beige Bahama
KJ125A31270	1/2	A31 - Beige Bahama
KJ60A32270	1/4	A32 - Dark Beige
KJ80A32270	5/16	A32 - Dark Beige
KJ100A32270	3/8	A32 - Dark Beige
KJ125A32270	1/2	A32 - Dark Beige
KJ60A41270	1/4	A41 - Cream
KJ80A41270	5/16	A41 - Cream
KJ100A41270	3/8	A41 - Cream
KJ125A41270	1/2	A41 - Cream
KJ60A42270	1/4	A42 - Ivory
KJ80A42270	5/16	A42 - Ivory
KJ100A42270	3/8	A42 - Ivory
KJ125A42270	1/2	A42 - Ivory
KJ60A51270	1/4	A51 - Black
KJ80A51270	5/16	A51 - Black
KJ100A51270	3/8	A51 - Black
KJ125A51270	1/2	A51 - Black
KJ60A54270	1/4	A54 - Matt Black
KJ80A54270	5/16	A54 - Matt Black
KJ100A54270	3/8	A54 - Matt Black
KJ125A54270	1/2	A54 - Matt Black
KJ60AM11270	1/4	AM11 - Matt White
KJ80AM11270	5/16	AM11 - Matt White
KJ100AM11270	3/8	AM11 - Matt White
KJ125AM11270	1/2	AM11 - Matt White

keracapsule >> KJC in Powder Coated Aluminum		
Item	H inch	Finish
KJC80A11SET2	5/16	A11 - Pure White
KJC100A11SET2	3/8	A11 - Pure White
KJC125A11SET2	1/2	A11 - Pure White
KJC80A12SET2	5/16	A12 - Ivory White
KJC100A12SET2	3/8	A12 - Ivory White
KJC125A12SET2	1/2	A12 - Ivory White
KJC80A21SET2	5/16	A21 - Light Grey
KJC100A21SET2	3/8	A21 - Light Grey
KJC125A21SET2	1/2	A21 - Light Grey
KJC80A22SET2	5/16	A22 - Pastel Grey
KJC100A22SET2	3/8	A22 - Pastel Grey
KJC125A22SET2	1/2	A22 - Pastel Grey
KJC80A23SET2	5/16	A23 - Cement Grey
KJC100A23SET2	3/8	A23 - Cement Grey
KJC125A23SET2	1/2	A23 - Cement Grey
KJC80A31SET2	5/16	A31 - Beige Bahama
KJC100A31SET2	3/8	A31 - Beige Bahama
KJC125A31SET2	1/2	A31 - Beige Bahama
KJC80A32SET2	5/16	A32 - Dark Beige
KJC100A32SET2	3/8	A32 - Dark Beige
KJC125A32SET2	1/2	A32 - Dark Beige
KJC80A41SET2	5/16	A41 - Cream
KJC100A41SET2	3/8	A41 - Cream
KJC125A41SET2	1/2	A41 - Cream
KJC80A42SET2	5/16	A42 - Ivory
KJC100A42SET2	3/8	A42 - Ivory
KJC125A42SET2	1/2	A42 - Ivory
KJC80A51SET2	5/16	A51 - Black
KJC100A51SET2	3/8	A51 - Black
KJC125A51SET2	1/2	A51 - Black
KJC80A54SET2	5/16	A54 - Matt black
KJC100A54SET2	3/8	A54 - Matt black
KJC125A54SET2	1/2	A54 - Matt black
KJC80AM11SET2	5/16	AM11 - Matt White
KJC100AM11SET2	3/8	AM11 - Matt White
KJC125AM11SET2	1/2	AM11 - Matt White



kerajolly >> KJ in Embossed Powder Coated Aluminum Modern Line		
Item	H inch	Finish
KJ80A13270	5/16	A13 - Antique White
KJ100A13270	3/8	A13 - Antique White
KJ110A13270	7/16	A13 - Antique White
KJ125A13270	1/2	A13 - Antique White
KJ80A24270	5/16	A24 - Embossed Pastel Grey
KJ100A24270	3/8	A24 - Embossed Pastel Grey
KJ110A24270	7/16	A24 - Embossed Pastel Grey
KJ125A24270	1/2	A24 - Embossed Pastel Grey
KJ80A25270	5/16	A25 - Embossed Cement Grey
KJ100A25270	3/8	A25 - Embossed Cement Grey
KJ110A25270	7/16	A25 - Embossed Cement Grey
KJ125A25270	1/2	A25 - Embossed Cement Grey
KJ80A33270	5/16	A33 - Embossed Dove-Grey
KJ100A33270	3/8	A33 - Embossed Dove-Grey
KJ110A33270	7/16	A33 - Embossed Dove-Grey
KJ125A33270	1/2	A33 - Embossed Dove-Grey
KJ80A34270	5/16	A34 - Embossed Kaki
KJ100A34270	3/8	A34 - Embossed Kaki
KJ110A34270	7/16	A34 - Embossed Kaki
KJ125A34270	1/2	A34 - Embossed Kaki
KJ80A50270	5/16	A50 - Embossed Micaceous
KJ100A50270	3/8	A50 - Embossed Micaceous
KJ110A50270	7/16	A50 - Embossed Micaceous
KJ125A50270	1/2	A50 - Embossed Micaceous
KJ80A60270	5/16	A60 - Embossed Corten
KJ100A60270	3/8	A60 - Embossed Corten
KJ110A60270	7/16	A60 - Embossed Corten
KJ125A60270	1/2	A60 - Embossed Corten
KJ100A62270	3/8	A62 - Red Brown
KJ100A63270	3/8	A63 - Dark Brown
KJ80A64270	5/16	A64 - Embossed Dark Brown
KJ100A64270	3/8	A64 - Embossed Dark Brown
KJ110A64270	7/16	A64 - Embossed Dark Brown
KJ125A64270	1/2	A64 - Embossed Dark Brown
KJ80A65270	5/16	A65 - Embossed Matt Black
KJ100A65270	3/8	A65 - Embossed Matt Black
KJ110A65270	7/16	A65 - Embossed Matt Black
KJ125A65270	1/2	A65 - Embossed Matt Black

keracapsule >> KJC in Embossed Powder Coated Aluminum Modern Line		
Item	H inch	Finish
KJC80A13SET2	5/16	A13 - Antique White
KJC100A13SET2	3/8	A13 - Antique White
KJC110A13SET2	7/16	A13 - Antique White
KJC125A13SET2	1/2	A13 - Antique White
KJC80A24SET2	5/16	A24 - Embossed Pastel Grey
KJC100A24SET2	3/8	A24 - Embossed Pastel Grey
KJC110A24SET2	7/16	A24 - Embossed Pastel Grey
KJC125A24SET2	1/2	A24 - Embossed Pastel Grey
KJC80A25SET2	5/16	A25 - Embossed Cement Grey
KJC100A25SET2	3/8	A25 - Embossed Cement Grey
KJC110A25SET2	7/16	A25 - Embossed Cement Grey
KJC125A25SET2	1/2	A25 - Embossed Cement Grey
KJC80A33SET2	5/16	A33 - Embossed Dove-Grey
KJC100A33SET2	3/8	A33 - Embossed Dove-Grey
KJC110A33SET2	7/16	A33 - Embossed Dove-Grey
KJC125A33SET2	1/2	A33 - Embossed Dove-Grey
KJC80A34SET2	5/16	A34 - Embossed kaki
KJC100A34SET2	3/8	A34 - Embossed kaki
KJC110A34SET2	7/16	A34 - Embossed kaki
KJC125A34SET2	1/2	A34 - Embossed kaki
KJC80A50SET2	5/16	A50 - Embossed Micaceous
KJC100A50SET2	3/8	A50 - Embossed Micaceous
KJC110A50SET2	7/16	A50 - Embossed Micaceous
KJC125A50SET2	1/2	A50 - Embossed Micaceous
KJC80A60SET2	5/16	A60 - Embossed Corten
KJC100A60SET2	3/8	A60 - Embossed Corten
KJC110A60SET2	7/16	A60 - Embossed Corten
KJC125A60SET2	1/2	A60 - Embossed Corten
KJC100A62SET2	3/8	A62 - Red Brown
KJC100A63SET2	3/8	A63 - Dark Brown
KJC80A64SET2	5/16	A64 - Embossed Dark Brown
KJC100A64SET2	3/8	A64 - Embossed Dark Brown
KJC110A64SET2	7/16	A64 - Embossed Dark Brown
KJC125A64SET2	1/2	A64 - Embossed Dark Brown
KJC80A65SET2	5/16	A65 - Embossed matt black
KJC100A65SET2	3/8	A65 - Embossed matt black
KJC110A65SET2	7/16	A65 - Embossed matt black
KJC125A65SET2	1/2	A65 - Embossed matt black



kerajolly >> KJ in Embossed Powder Coated Aluminum Match Line		
Item	H inch	Finish
KJ80A66270	5/16	A66 - Balance Grey
KJ100A66270	3/8	A66 - Balance Grey
KJ110A66270	7/16	A66 - Balance Grey
KJ125A66270	1/2	A66 - Balance Grey
KJ80A67270	5/16	A67 - Shaded Grey
KJ100A67270	3/8	A67 - Shaded Grey
KJ110A67270	7/16	A67 - Shaded Grey
KJ125A67270	1/2	A67 - Shaded Grey
KJ80A68270	5/16	A68 - Beige Bond
KJ100A68270	3/8	A68 - Beige Bond
KJ110A68270	7/16	A68 - Beige Bond
KJ125A68270	1/2	A68 - Beige Bond
KJ80A69270	5/16	A69 - White Reflection
KJ100A69270	3/8	A69 - White Reflection
KJ110A69270	7/16	A69 - White Reflection
KJ125A69270	1/2	A69 - White Reflection
KJ80A70270	5/16	A70 - Brown Melody
KJ100A70270	3/8	A70 - Brown Melody
KJ110A70270	7/16	A70 - Brown Melody
KJ125A70270	1/2	A70 - Brown Melody
KJ80A71270	5/16	A71 - Beige Harmony
KJ100A71270	3/8	A71 - Beige Harmony
KJ110A71270	7/16	A71 - Beige Harmony
KJ125A71270	1/2	A71 - Beige Harmony
KJ80A72270	5/16	A72 - Hazelnut Union
KJ100A72270	3/8	A72 - Hazelnut Union
KJ110A72270	7/16	A72 - Hazelnut Union
KJ125A72270	1/2	A72 - Hazelnut Union
KJ80A73270	5/16	A73 - Grey Encounter
KJ100A73270	3/8	A73 - Grey Encounter
KJ110A73270	7/16	A73 - Grey Encounter
KJ125A73270	1/2	A73 - Grey Encounter
KJ80A74270	5/16	A74 - Beige Fusion
KJ100A74270	3/8	A74 - Beige Fusion
KJ110A74270	7/16	A74 - Beige Fusion
KJ125A74270	1/2	A74 - Beige Fusion
KJ80A75270	5/16	A75 - Beige Continuous
KJ100A75270	3/8	A75 - Beige Continuous
KJ110A75270	7/16	A75 - Beige Continuous
KJ125A75270	1/2	A75 - Beige Continuous
KJ80A76270	5/16	A76 - Natural Hazelnut
KJ100A76270	3/8	A76 - Natural Hazelnut
KJ110A76270	7/16	A76 - Natural Hazelnut
KJ125A76270	1/2	A76 - Natural Hazelnut
KJ80A77270	5/16	A77 - Red Harmony
KJ100A77270	3/8	A77 - Red Harmony
KJ110A77270	7/16	A77 - Red Harmony
KJ125A77270	1/2	A77 - Red Harmony

keracapsule >> KJC in Embossed Powder Coated Aluminum Match Line		
Item	H inch	Finish
KJC80A66SET2	5/16	A66 - Balance Grey
KJC100A66SET2	3/8	A66 - Balance Grey
KJC110A66SET2	7/16	A66 - Balance Grey
KJC125A66SET2	1/2	A66 - Balance Grey
KJC80A67SET2	5/16	A67 - Shaded Grey
KJC100A67SET2	3/8	A67 - Shaded Grey
KJC110A67SET2	7/16	A67 - Shaded Grey
KJC125A67SET2	1/2	A67 - Shaded Grey
KJC80A68SET2	5/16	A68 - Beige Bond
KJC100A68SET2	3/8	A68 - Beige Bond
KJC110A68SET2	7/16	A68 - Beige Bond
KJC125A68SET2	1/2	A68 - Beige Bond
KJC80A69SET2	5/16	A69 - White Reflection
KJC100A69SET2	3/8	A69 - White Reflection
KJC110A69SET2	7/16	A69 - White Reflection
KJC125A69SET2	1/2	A69 - White Reflection
KJC80A70SET2	5/16	A70 - Brown Melody
KJC100A70SET2	3/8	A70 - Brown Melody
KJC110A70SET2	7/16	A70 - Brown Melody
KJC125A70SET2	1/2	A70 - Brown Melody
KJC80A71SET2	5/16	A71 - Beige Harmony
KJC100A71SET2	3/8	A71 - Beige Harmony
KJC110A71SET2	7/16	A71 - Beige Harmony
KJC125A71SET2	1/2	A71 - Beige Harmony
KJC80A72SET2	5/16	A72 - Hazelnut Union
KJC100A72SET2	3/8	A72 - Hazelnut Union
KJC110A72SET2	7/16	A72 - Hazelnut Union
KJC125A72SET2	1/2	A72 - Hazelnut Union
KJC80A73SET2	5/16	A73 - Grey Encounter
KJC100A73SET2	3/8	A73 - Grey Encounter
KJC110A73SET2	7/16	A73 - Grey Encounter
KJC125A73SET2	1/2	A73 - Grey Encounter
KJC80A74SET2	5/16	A74 - Beige Fusion
KJC100A74SET2	3/8	A74 - Beige Fusion
KJC110A74SET2	7/16	A74 - Beige Fusion
KJC125A74SET2	1/2	A74 - Beige Fusion
KJC80A75SET2	5/16	A75 - Beige Continuous
KJC100A75SET2	3/8	A75 - Beige Continuous
KJC110A75SET2	7/16	A75 - Beige Continuous
KJC125A75SET2	1/2	A75 - Beige Continuous
KJC80A76SET2	5/16	A76 - Natural Hazelnut
KJC100A76SET2	3/8	A76 - Natural Hazelnut
KJC110A76SET2	7/16	A76 - Natural Hazelnut
KJC125A76SET2	1/2	A76 - Natural Hazelnut
KJC80A77SET2	5/16	A77 - Red Harmony
KJC100A77SET2	3/8	A77 - Red Harmony
KJC110A77SET2	7/16	A77 - Red Harmony
KJC125A77SET2	1/2	A77 - Red Harmony

kerajolly >> KJ in Embossed Powder Coated Desert Line Aluminum		
Item	H inch	Finish
KJ80A01270	5/16	A01 - Embossed Namib
KJ100A01270	3/8	A01 - Embossed Namib
KJ110A01270	7/16	A01 - Embossed Namib
KJ125A01270	1/2	A01 - Embossed Namib
KJ80A02270	5/16	A02 - Embossed Yuma
KJ100A02270	3/8	A02 - Embossed Yuma
KJ110A02270	7/16	A02 - Embossed Yuma
KJ125A02270	1/2	A02 - Embossed Yuma
KJ80A03270	5/16	A03 - Embossed Sahara
KJ100A03270	3/8	A03 - Embossed Sahara
KJ110A03270	7/16	A03 - Embossed Sahara
KJ125A03270	1/2	A03 - Embossed Sahara
KJ80A04270	5/16	A04 - Embossed Kalahari
KJ100A04270	3/8	A04 - Embossed Kalahari
KJ110A04270	7/16	A04 - Embossed Kalahari
KJ125A04270	1/2	A04 - Embossed Kalahari
KJ80A05270	5/16	A05 - Embossed Gobi
KJ100A05270	3/8	A05 - Embossed Gobi
KJ110A05270	7/16	A05 - Embossed Gobi
KJ125A05270	1/2	A05 - Embossed Gobi
KJ80A06270	5/16	A06 - Embossed Atacama
KJ100A06270	3/8	A06 - Embossed Atacama
KJ110A06270	7/16	A06 - Embossed Atacama
KJ125A06270	1/2	A06 - Embossed Atacama
KJ80A07270	5/16	A07 - Patagonia
KJ100A07270	3/8	A07 - Patagonia
KJ110A07270	7/16	A07 - Patagonia
KJ125A07270	1/2	A07 - Patagonia
KJ80A14270	5/16	A14 - White arctic
KJ100A14270	3/8	A14 - White arctic
KJ110A14270	7/16	A14 - White arctic
KJ125A14270	1/2	A14 - White arctic

keracapsule >> KJC in Embossed Powder Coated Aluminum Desert Line		
Item	H inch	Finish
KJC80A01SET2	5/16	A01 - Embossed Namib
KJC100A01SET2	3/8	A01 - Embossed Namib
KJC110A01SET2	7/16	A01 - Embossed Namib
KJC125A01SET2	1/2	A01 - Embossed Namib
KJC80A02SET2	5/16	A02 - Embossed Yuma
KJC100A02SET2	3/8	A02 - Embossed Yuma
KJC110A02SET2	7/16	A02 - Embossed Yuma
KJC125A02SET2	1/2	A02 - Embossed Yuma
KJC80A03SET2	5/16	A03 - Embossed Sahara
KJC100A03SET2	3/8	A03 - Embossed Sahara
KJC110A03SET2	7/16	A03 - Embossed Sahara
KJC125A03SET2	1/2	A03 - Embossed Sahara
KJC80A04SET2	5/16	A04 - Embossed Kalahari
KJC100A04SET2	3/8	A04 - Embossed Kalahari
KJC110A04SET2	7/16	A04 - Embossed Kalahari
KJC125A04SET2	1/2	A04 - Embossed Kalahari
KJC80A05SET2	5/16	A05 - Embossed Gobi
KJC100A05SET2	3/8	A05 - Embossed Gobi
KJC110A05SET2	7/16	A05 - Embossed Gobi
KJC125A05SET2	1/2	A05 - Embossed Gobi
KJC80A06SET2	5/16	A06 - Embossed Atacama
KJC100A06SET2	3/8	A06 - Embossed Atacama
KJC110A06SET2	7/16	A06 - Embossed Atacama
KJC125A06SET2	1/2	A06 - Embossed Atacama
KJC80A07SET2	5/16	A07 - Patagonia
KJC100A07SET2	3/8	A07 - Patagonia
KJC110A07SET2	7/16	A07 - Patagonia
KJC125A07SET2	1/2	A07 - Patagonia
KJC80A14SET2	5/16	A14 - White arctic
KJC100A14SET2	3/8	A14 - White arctic
KJC110A14SET2	7/16	A14 - White arctic
KJC125A14SET2	1/2	A14 - White arctic



Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

Profilitec France
e-mail: france@profilitec.com

MATERIAL DESCRIPTION

Brass

Profiles made from CW618N (EN 12167) brass alloy are characterized by high resistance to mechanical stress, making them particularly suitable for heavy-traffic applications, such as industrial settings and at expansion joints.

Brass is resistant to most chemical agents commonly encountered during the installation of ceramic coverings. However, in the presence of humidity or aggressive substances, the surface may develop superficial oxidation, which can be removed using a standard polishing product.

These profiles can be manufactured through either hot extrusion or cold forming from sheets of constant thickness.

CHROMED BRASS:

This finish is achieved through a galvanic process that imparts a bright, stainless steel-like appearance. The treatment offers excellent aesthetic results and excellent resistance to chemical agents, though it has limited resistance to surface impacts and prolonged abrasion.



OC

kerajolly >> KJ in Chromed Brass		
Item	H inch	Finish
KJ600C270	1/4	OC - Chrome
KJ800C270	5/16	OC - Chrome
KJ1000C270	3/8	OC - Chrome
KJ1250C270	1/2	OC - Chrome

MATERIAL DESCRIPTION

Synthetic Resin

RESINTOP Rigid thermoplastic synthetic resin:

This material is specifically formulated to optimize the performance of rigid profiles intended for permanent indoor and outdoor applications, where both aesthetic and durability requirements must be met. Produced from primary resin with a Polyvinyl Chloride (PVC)-based composition, it is suitable for a wide range of uses at temperatures up to +60°C. The selected raw material ensures excellent resistance to UV rays, limited mechanical impacts, and strong protection against the stagnation of fungi and bacteria.



P11



P12



P21



P22



P23



P31



P32



P41



P42



P51



Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

Profilitec France
e-mail: france@profilitec.com

kerajolly >> KJ in Synthetic Resin Full Body Colored Resintop		
Item	H inch	Finish
KJ60P11270	1/4	P11 - Pure White
KJ80P11270	5/16	P11 - Pure White
KJ100P11270	3/8	P11 - Pure White
KJ125P11270	1/2	P11 - Pure White
KJ60P12270	1/4	P12 - Ivory White
KJ80P12270	5/16	P12 - Ivory White
KJ100P12270	3/8	P12 - Ivory White
KJ125P12270	1/2	P12 - Ivory White
KJ60P21270	1/4	P21 - Light Grey
KJ80P21270	5/16	P21 - Light Grey
KJ100P21270	3/8	P21 - Light Grey
KJ125P21270	1/2	P21 - Light Grey
KJ60P22270	1/4	P22 - Pastel Grey
KJ80P22270	5/16	P22 - Pastel Grey
KJ100P22270	3/8	P22 - Pastel Grey
KJ125P22270	1/2	P22 - Pastel Grey
KJ60P23270	1/4	P23 - Cement Grey
KJ80P23270	5/16	P23 - Cement Grey
KJ100P23270	3/8	P23 - Cement Grey
KJ125P23270	1/2	P23 - Cement Grey
KJ60P31270	1/4	P31 - Beige Bahama
KJ80P31270	5/16	P31 - Beige Bahama
KJ100P31270	3/8	P31 - Beige Bahama
KJ125P31270	1/2	P31 - Beige Bahama
KJ60P32270	1/4	P32 - Dark Beige
KJ80P32270	5/16	P32 - Dark Beige
KJ100P32270	3/8	P32 - Dark Beige
KJ125P32270	1/2	P32 - Dark Beige

KJ60P41270	1/4	P41 - Cream
KJ80P41270	5/16	P41 - Cream
KJ100P41270	3/8	P41 - Cream
KJ125P41270	1/2	P41 - Cream
KJ60P42270	1/4	P42 - Ivory
KJ80P42270	5/16	P42 - Ivory
KJ100P42270	3/8	P42 - Ivory
KJ125P42270	1/2	P42 - Ivory
KJ60P51270	1/4	P51 - Black
KJ80P51270	5/16	P51 - Black
KJ100P51270	3/8	P51 - Black
KJ125P51270	1/2	P51 - Black

APPLICATION

1. Choose the H-size profile corresponding to the thickness of the covering to be laid, taking care to ensure that the profile does not exceed the edge of the covering but is positioned 1/64"-3/64" - 0.5 to 1 mm lower;
2. Spread the adhesive in the profile application area with the help of a notched trowel;
3. Cut the profile to the required length and place it with the perforated side in the adhesive, pressing and aligning it;
4. Tragen Sie etwas Klebstoff auf die Perforation und in die Vertiefungen des vertikalen Abschnitts des Profils auf, der mit der Kante der Verkleidung in Kontakt steht.
5. Tend to leave a gap of about 3/32" - 2 mm between the profile and the tile edge to be filled later with sealant or grout.

N.B.: Aluminum profiles offer limited resistance to alkaline substances, so their use must be evaluated according to the expected chemical aggressions. Aluminum profiles in contact with cementitious substances can be attacked by corrosion processes, so residues of used adhesives and sealants should be removed immediately. When laying, the right amount of adhesive must be used and the right drying times observed, avoiding creating cavities in which water can stagnate, which would lead to the formation of alkaline substances (aluminum hydroxide) and trigger corrosive electrolytic phenomena.

Profilitec S.p.A.
 Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
 Tel: +39 0444 268311
 e-mail: profilitec@profilitec.com

Profilitec Corp.
 e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
 e-mail: iberica@profilitec.com

Profilitec France
 e-mail: france@profilitec.com

CLEANING AND MAINTENANCE

ALUMINUM:

Aluminum requires no special maintenance.

For cleaning, use colorless alcohol diluted in water or neutral detergents, avoiding acidic ones (e.g., hydrochloric or hydrofluoric acid); use non-abrasive sponges or cloths to avoid damage. We recommend not applying cleaners directly to surfaces. After cleaning, rinse with water and dry immediately with a soft cloth. Avoid polishes. Quickly remove residual cement or grout to protect the surface.

BRASS:

Brass does not require special maintenance and is easily cleaned with alcohol diluted in water or with neutral detergents, avoiding those with an acidic base.

It is recommended to use water with mild detergents, ensuring the final rinse is with water only. To avoid scratches, use exclusively non-abrasive cloths or sponges. For maintenance, common polishes available on the market can be used.

SYNTHETISCHES HARZ:

Das thermoplastische Kunstharz erfordert keine besondere Wartung.

Es lässt sich leicht mit farblosem, in Wasser verdünntem Alkohol oder mit normalen, ebenfalls in Wasser verdünnten Reinigungsmitteln reinigen, sofern diese nicht säurehaltig sind. Spülen Sie es zum Schluss nur mit Wasser ab. Verwenden Sie nicht scheuernde Schwämme oder Tücher, um Kratzer auf der Oberfläche zu vermeiden.

WARNINGS

These profiles should be handled with care, using cut-resistant gloves. The indications and prescriptions herein, while corresponding to our experience, are to be considered purely indicative and must be confirmed by exhaustive practical applications. Profilitec declines any responsibility for any damage to people or things resulting from improper use of the products. The user is required to determine whether or not the product is suitable for use and assumes all responsibility arising from incorrect installation of the material.

BILL OF QUANTITIES ITEM

Supply and installation of profile in _____ (material), with _____ finish (refer to the Material Description section) in the characteristic size _____ mm, equipped with a punched flange that guarantees a perfect grip with the adhesive used. Profile with dovetail inner part for better adhesive grip.

Profile family type _____ of Profilitec company as a closing and protection profile for the covering, to be supplied and installed in a professional manner, respecting the methods and application fields indicated by the manufacturer.

Profile length: 2700 mm

Profile SKU: _____

Material: _____ \$/pc

Installation: _____ \$/pc

Totale price: _____ \$/pc

Profilitec S.p.A.
Via Scotte, 3 - 36033 Isola Vicentina (Vicenza), ITALY
Tel: +39 0444 268311
e-mail: profilitec@profilitec.com

Profilitec Corp.
e-mail: customerservice@profilitec.com

Profilitec Ibérica, S.L.U.
e-mail: iberica@profilitec.com

Profilitec France
e-mail: france@profilitec.com